

ACUPUNCTURE AND ELECTROTHERAPEUTICS RESEARCH,  
The International Journal

 **Cognizant Communication Corporation**

3 Hartsdale Road, Elmsford, New York 10523-3701

September 14, 2007

Dear Dr. Syldona and Dr. Rein:

It is with great pleasure that I can now officially inform you that your manuscript entitled "Reducing the In-Vitro Electromagnetic Effect of Cellular Phones on Human DNA and the Intensity of Their Emitted Radiation" has been accepted for publication in our journal. Thank you for submitting your manuscript for our consideration.

Sincerely,


*Yoshiaki Omura M.D., Sc.D.*

Dr. Y Omura, M.D., Sc.D.  
Editor-in-Chief  
800 Riverside Drive  
Suite 8I  
New York, NY 10032

# ACUPUNCTURE & ELECTRO-THERAPEUTICS RESEARCH THE INTERNATIONAL JOURNAL

The Official Journal of the International College of Acupuncture & Electro-Therapeutics  
and its American Division, the American College of Acupuncture & Electro-Therapeutics

EDITOR-IN-CHIEF YOSHIAKI OMURA



COGNIZANT COMMUNICATION CORPORATION

New York • Sydney • Tokyo  
[www.cognizantcommunication.com](http://www.cognizantcommunication.com)

# ACUPUNCTURE & ELECTRO-THERAPEUTICS RESEARCH, THE INTERNATIONAL JOURNAL

Editor-in-Chief & Founder: Yoshaiki Omura, M.D., Sc.D.,

F.A.C.A., F.I.C.A.E., F.A.A.I.M., F.R.S.M., D.A.A.P.M., D.A.B.F.E., D.A.B.F.M.

Mailing address: 800 Riverside Drive, New York, NY 10032, USA

Phone (212) 781-6262, Fax (212) 923-2279

President, International College of Acupuncture & Electro-Therapeutics; Director of Medical Research, Heart Disease Foundation; Adjunct Professor, Dept. of Community & Preventive Medicine, New York Medical College; Professor, Dept. of Non-Orthodox Medicine, Ukrainian National Medical University; Executive Board Member &

Chairman of the Eastern Medicine Advisory Board of the American Association of Integrative Medicine (A.A.I.M.); Former Visiting Research Professor, Dept. of Electrical Engineering, Manhattan College, New York, NY, USA; former Adjunct Professor, Dept. of Pharmacology, Chicago Medical School, North Chicago, IL, USA;

Former Visiting Professor, Dept. of Psycho-physiology, University of Paris, Paris, France

EDITORIAL ASSOCIATES: Filip Jagodzinski, BS, Joshua Atkins, B.A., Claire Urich-Check, BS

## EDITORS:

- Andersson, Sven, M.D., Ph.D., F.I.C.A.E., Prof. of Neuro-physiology, Dept. of Physiology, Univ. of Goteborg, Gotborg, Sweden
- Araujo, M. Sanchez, M.D., F.I.C.A.E., Pres., Latin American Societies (FLASMA), & Integral Health & Therapeutics Research Inst. (INSIT), Caracas, Venezuela
- Atsumi, Kazuhiko, M.D., Ph.D., F.I.C.A.E., former Dir. and Prof. Institute of Medical Electronics, Univ. of Tokyo, Hongo Bankyo-Ku, Tokyo, Japan
- Becker, Robert O., M.D., F.I.C.A.E., Consultant Biomed. Science, former Prof. Orthopedic Surgery, Upstate Med. Ctr., Starroute, Lowville, NY, USA
- Beyens, Francois, M.D., F.I.C.A.E., Ex-President, Belgian Assoc. of Med. Acupuncturists, Bruxelles, Belgium
- Bischko, Johannes, M.D., F.I.C.A.E., Ludwig Boltzmann Inst. for Acupuncture C/O Kaiserin-Elisabeth-Spital Huglgasse 1-3, A-1 150, Wein, Austria
- Borrmann, Robert, Ph.D., F.I.C.A.E., Prof./former Chairman, Dept. of Electrical Engineering, Manhattan College, Bronx, NY, USA
- Bossy, Jean, M.D., Ph.D., F.I.C.A.E., Prof. of Anatomy, College of Med. of Montpellier at Nimes and Reflexotherapy Consultant at the Centre Hopitalier Regional et Univ., Nimes, France
- Cao, Xiao-Ding, M.D., F.I.C.A.E., Prof./Chairwoman, Dept. of Acupuncture Analgesia and former Dean of Basic Med. Science, Shanghai Med. Univ. Shanghai, PRC
- Ceccherelli, Francesco, M.D., F.I.C.A.E., Research Professor, Institute of Anesthesiology and Reanimation and Regulatory Center on Complementary Medicine, University of Padova, Via C. Battisti, 267-35121 Padova, Italy
- Chang, Hsiang-Tung, Ph.D., F.I.C.A.E., Prof./Director, Shanghai Brain Research Institute Academia Sinica 319, Yo-Yang Road, Shanghai, PRC
- Chen, Gong-Bai, M.D., Sc.D., F.I.C.A.E., former Prof. of Neurosurgery and Ex-President of Inst. of Neurology and of Hua Shan Hospital, Shanghai Med. Univ., PRC
- Chen, Yemeng, C.M.D., L.A.C., F.I.C.A.E., Academic Dean, New York College of Traditional Chinese Medicine, Mineola, NY; former Dir. Acupuncture Clinic of Shanghai Medical University Hospital; former Dir. Shanghai International Health Center
- Chun, Sae-il, M.D., F.I.C.A.E., Prof & Director, Rehabilitation Hospital, Yonsei University, College of Medicine, Seoul, Korea
- Cohen, Marc, M.B.B.S (Hons.), Ph.D., BmedSc (Hons.), F.A.M.A.S., DipAC, F.I.C.A.E., Head of Dept. of Complementary Medicine, RMIT University, Bundoora, Victoria, Australia
- Crul, Jan, M.D., F.I.C.A.E., Prof./Chairman, Dept. of Anesthesiology, Radabout Zickehuls Katholic Univ., Nijmegen, The Netherlands
- Cyong, J., M.D., Ph.D., F.I.C.A.E., Chairman of Lab. Immunopharmacology, Oriental Med. Res. Ctr. of the Kitasato Inst., Tokyo, Japan
- de Smul, Andre, M.D., F.I.C.A.E., Prof., Dept. of Surgery, Pain Clinic, Akademisch Ziekenhuis, Vrije Univ., Brussels, Belgium
- Doenicke, Alfred, M.D., F.I.C.A.E., Prof./Director of the Institute for Anesthesiology, Polyclinic, Munich Univ., Munich, Germany
- Farber, Paulo L., M.D., F.I.C.A.E., Director/Coordinator, Acupuncture Research Dept., Div. Obstetrics & Gynecology, Univ. of Sao Paulo Med. School, Sao Paulo, Brazil
- Floter, Thomas, M.D., F.I.C.A.E., President, Schmerz Therapeutisches Kolloquium Pain Treatment Ctr., Frankfurt Main, Germany
- Genazzani, Andrea R., M.D., F.I.C.A.E., Pres., Intl. Soc. of Gynecological Endocrinology, E.I.C. Gynecological Endocrinology, Prof. Inst. of Obstetrics & Gynecology, Univ. of Modena, Modena, Italy
- Giron, Giampiero, P., M.D., F.I.C.A.E., Prof. and Director, Istituto Di Anestesiologia E Rianimazione, and Regulatory Center on Complementary Medicine, University of Padova, Via C. Battisti, 267-35121 Padova, Italy
- Gleditsch, Jochen, M.D., F.I.C.A.E., former Pres., German Physicians Acupuncture Assoc., Munchen 2, Germany
- Greenfield, William, D.D.S., F.I.C.A.E., Prof./Assoc. Dean for Hospital and Extramural Affairs, New York Univ. Dental Ctr., New York, NY, USA
- Gunn, C. Chan, M.A., A.B., M.C., Chir., F.I.C.A.E., Prof., University of Washington, Seattle, WA, USA & Gunn Pain Clinic, Vancouver, BC, Canada
- Iliev, Emil, M.D., F.I.C.A.E., Chairman, Bulgarian Society of Traditional Chinese Med., Sofia, Bulgaria
- Hayhoe, Simon, B.S., M.B., M.R.C.S., I.C.R.P., F.I.C.A.E., Ex-Chairman & Treasurer, ICMA, British Med. Acupuncture Society, Dept. of Anesthetics, Essex County Hosp., Colchester, UK
- Hisamitsu, Tadashi, M.D., Ph.D., F.I.C.A.E., Prof./Chairman, Dept. of Physiology, School of Med., Showa Univ., Shinagawa-ku, Tokyo, Japan
- Hui, S. C., M.D., F.I.C.A.E., former Pres., Western Australian Med. Acupuncture Society, Nedlands, Western Australia
- Jojima, Takashi, M.D., F.I.C.A.E., former Pres., Brazilian Med. Acupuncture Assoc., Ave. Paes de Rarros, Sao Paulo, Brazil

- Junnila, Seppo, M.D., F.I.C.A.E., Pres., Finnish Med. Acupuncture Soc. and Mgr. of Salo District Health Care Center, Salo, Finland
- Kaada, Birger, M.D., Ph.D., F.I.C.A.E., Prof. of Neurophysiology, Lab. of Clinical Neurophysiology, Rogaland Central Hospital, Stavanger, Norway
- Kim, Ki Ho, M.D., F.I.C.A.E., F.A.A.P.M.R., Dir., Kim Institute of Rehabilitation Medicine, Livingston, NJ; former Chairman NJ Acupuncture Examination Board
- Klaus, Wolfgang, M.D., Ph.D., F.I.C.A.E., Prof. and Chairman, Dept. of Pharmacology, Univ. of Cologne, Cologne, Germany
- Lee, Matthew, M.D., M.P.H., F.I.C.A.E., Prof./Dir. of Rehabilitation Med., Goldwater Memorial Hospital, New York Univ. Med. Center, and Pres., American Academy of Acupuncture, New York, NY, USA
- Lisenyuk, Victor, M.D., Sc.D., F.I.C.A.E., Prof./Chairman, Dept. of Non-Orthodox Med., Ukrainian National Med. Univ., Kiev, Ukraine
- Lu, Dominic P., D.D.S., Ph.D., F.I.C.A.E., Prof. of Oral Medicine, Univ. of Pennsylvania; Dir. of Medical and Dental Externship Education and Chief of Special Care Dentistry, Lehigh Valley Hospital; Pres. American Society for Advancement of Anesthesia in Dentistry
- Lundberg, Thomas, N.D., Ph.D., F.I.C.A.E., Assoc. Prof., Dept. of Physiology II, Karolinska Inst., Stockholm, Sweden
- Machi, Yoshio, Dr.Eng., Prof., Graduate School of Electrical Engineering, Tokyo Denki Univ., Tokyo, Japan
- Mamtani, Ravi, M.D., F.I.C.A.E., Prof. of Clinical Preventive Med., Dir. of Med. Acupuncture Program, New York Med. College, Valhalla, NY, USA
- Marcus, Paul, M.D., former Chairman, British Med. Acupuncture Soc., Admin., Newton House, Warrington, Cheshire, England
- Maric-Oehler, Walburg, M.D., F.I.C.A.E., Pres. German Med. Acupuncture Assoc., Bad Homburg, Germany
- Mayroher, Otto, M.D., Dr. N.C. Mult., F.I.C.A.E., Prof. and Chairman, Inst. of Anesthesiology, Univ. of Vienna, Austria
- Melzack, Ronald, Ph.D., F.I.C.A.E., Prof. of Psychology, McGill Univ., Montreal, Canada
- Muteki, Gousuke, M.D., Ph.D., F.I.C.A.E., Prof. Emeritus & Former Chairman, Dept. of Anesthesiology & Dir. of Emergency Intensive Care Unit, Kurume Univ. Kurume, Fukuoka, Japan
- Nappi, Giuseppe, M.D., F.I.C.A.E., E.I.C., Functiona Neurology, Prof. & Dir., 1st. Neurologic Ctr. Mondino, Univ. of Pavia, Pavia, Italy
- Negro, Francesco E., M.D., F.I.C.A.E., Pres., 4th World Congress of Scientific Acupuncture of ICMART 90, Pres. of the Italian Acupuncture Soc., Rome, Italy
- Needham, Joseph, F.R.S., F.A.B., F.I.C.A.E., Sometime Master of Gonville and Caius College and Dir., East Asian History of Sci. Library, Cambridge Univ., UK
- NG, Lorenz, M.D., F.I.C.A.E., former Chairman of Intra-Mural Res. Lab., Natl. Inst. on Drug Abuse, Rockville, MD, USA
- Niboyet, J., M.D., Sc.D., F.I.C.A.E., President of Mediterranean Acupuncture Assoc., Marseilles, France
- Nissel, H., M.D., F.I.C.A.E., Pres., Austrian Soc. of Acupuncture & Auricular Medicine, Ludwig Boltzmann Acupuncture Inst., Vienna, Austria
- Nogier, Paul, M.D., F.I.C.A.E., Pres. Groupe Lyonnais d'Etudes Medicales, E.I.C., Auriculo-Medecine, Lyon, France
- Nordenstrom, Bjorn E. W., M.D., F.I.C.A.E., former Chairman, Nobel Committee, Karolinska Inst., Stockholm, Prof. Emeritus of Diagnostic Radiology, Karolinska Inst., Stockholm, Sweden
- Orkin, Louis, M.D., F.I.C.A.E., former Prof./former Chairman, Dept. of Anesthesiology, Albert Einstein College of Medicine, Bronx, NY, USA
- Otsuka, Yasuo, M.D., Ph.D., F.I.C.A.E., Dir. Oriental Med., Inst. Kampo Med., Dept., Kitasato Univ., 5-9-1 Shirokane, Minato-ku, Tokyo, Japan
- Peng, Alfred, M.D., F.I.C.A.E., former Pres. NY Society of Acupuncture for Physicians & Dentists, St Luke's Hospital, New York, NY, USA
- Pontinen, P. J., M.D., F.I.C.A.E., Pres. Nordic Med. Acupuncture Soc. and Assoc. Prof. of Anesthesiology, Univ. of Kuopio, Finland
- Procacci, Paolo, M.D., F.I.C.A.E., Prof. Univ. degli Studi di Firenze, Cattedra de Terapia Medica Sistemica, Viale G.B. Firenze, Italy
- Rabischong, Pierre, M.D., F.I.C.A.E., Prof./Chairman of Dept. of Anatomy and Dean of the Faculty of Med., Univ. of Montpellier, Dir. of Biomechanics, Res. Unit of INSERM at Montpellier, Montpellier, France
- Redfearn, Edward, B.A., M.B.B., Chir. (Camb) DRCOG, F.I.C.A.E., Ex-Chairman, British Med. Acupuncture Soc., Birmingham, England
- Samosyuk, Ivan A., M.D., Sc.D., F.I.C.A.E., Prof., Dept. of Neuropathology & Reflexotherapy, Kiev State Inst. for Post Graduate Studies of Physicians, Doragozhitskaya St. Kiev, Ukraine
- Schnorrenberger, Claus C., M.D., F.I.C.A.E., Past Pres. of German Physicians Acupuncture Assoc., Frieberg, Germany
- Skokijev, Antonije, M.D., Sc.D., F.I.C.A.E., Pres. of the Yugoslavian Med. Acupuncture Society and Prof. and Dir. of Clinic for Maxillo-Facial Surgery, Military Med. Academy, Belgrade, Yugoslavia
- Soulairac, Andre, M.D., Sc.D., F.I.C.A.E., Prof. and Chairman, Dept. of Psycho-Physiology, Faculty of Sci., Univ. of Paris VI, Paris, France
- Spiegel, Edward, D.D.S., F.I.C.A.E., former Chairman, CME Courses of American Academy of Head, Neck and Facial Pain, Erie, PA, USA
- Takehige, Chifuyu, M.D., Ph.D., F.I.C.A.E., Prof. Emeritus and former Dean of Physiology Dept., School of Med., Showa Univ., Shinagawa-ku, Tokyo, Japan
- Tobler, Paul, M.D., F.I.C.A.E., Dozent for General Med., Univ. of Zurich & Univ. of Bern Zurich, Switzerland
- Travell, Janet, M.D., F.I.C.A.E., Emeritus Clinical Prof. of Med., George Washington Univ., Washington, DC, USA
- Trachtenberg, Alan I., M.D., M.P.H., Medical Officer, N.I.H. on Drug Abuse, 6120 Executive Blvd., Suite 450, Rockville, MD 20892, USA
- Tsuchiya, Mitsuharu, M.D., F.I.C.A.E., President of the Federation of Portugese Acupuncture & Moxibustion, Av. Colegio Militar, 20 A-r/c. DT-Loja-1500 Lisboa, Portugal
- Xuetai, Wang, M.D., F.I.C.A.E., Prof./Vice Dir., Expert Comm. of China, Academy of Traditional Chinese Med., Former President of China Acupuncture & Moxibustion Society, Beijing, China
- Yamamura, Hideo, M.D., H.D., F.I.C.A.E., Prof. Emeritus, former Chairman, Dept. of Anesthesiology; former Dean, School of Med. Tokyo Univ.; Pres., All Japan Acupuncture Society Tokyo, Japan

## CO-FOUNDER

Alfred L. Copley, M.D., Dr. Med.h.c. (Heidelberg Univ.) F.I.C.A.E. (deceased)

## CORRESPONDING EDITORS

Camp, Virginia, M.D., F.I.C.A.E., Wycombe General Hosp., High Wycombe Bucks, England  
Duvvi, Harsha, M.D., M.P.H., F.I.C.A.E., Dept. of Neurology, New York Medical College, Valhalla, NY, USA  
Glennie-Smith, Keith, M.B., B.S., F.F.A.R.C.S., F.I.C.A.E., Consultant Anesthetist, Dept. of Anesthesiology, Poole General Hosp., Dorset, England  
Grant, Alan, M.B., F.I.C.A.E., c/o Prof. Andre Soulaïrac, Dept. of Psychophysiology, Faculty of Science, Univ. of Paris VI, France  
Jones, Marilyn, D.D.S., F.I.C.A.E., Wholistic Dental Associates, Houston, TX, USA  
Jungck, Dietrich, M.D., F.I.C.A.E., Vice-Pres., Schmerz-Therapeutisches Kolloquium, Clinic for Pain Treatment, 2000 Hamburg I, Germany

Nakajima Hiroaki, M.D., Ph.D., Dir. of Pulmonary Div. & Assoc. Prof., Dept. of Med., School of Med., Showa Univ., Tokyo, Japan  
Omura, Alexander K., M.D., F.I.C.A.E., Dept. of Anesthesiology, St. Patrick Hospital, Missoula, MT, USA  
Shimotsuura, Tasuhiro, M.D., F.I.C.A.E., Exec. Secretary, Japan Bi-Digital O-Ring Test Assoc., Dir., Dept. of Med., St. Maria Hospital, Kurume Fukuoka, Japan  
Sola, Anders, M.D., F.I.C.A.E., Assoc. Prof., Dept. of Anesthesiology, School of Med., Univ. of Washington, Seattle, WA, USA (former Pain Specialist, U.S. Air Force)

## AIMS & SCOPE

The aim of the journal is to provide an international forum for the exchange of ideas and promotion of basic and clinical research in acupuncture, electro-therapeutics, and related fields. The journal was established in order to make acupuncture and electro-therapeutics a universally acceptable branch of medicine through multidisciplinary research based on scientific disciplines. The final goal is to provide a better understanding of both the beneficial and adverse effects of these treatments in order to supplement or improve existing methods of diagnosis, prognosis, treatment, and prevention of diseases in both Western and Oriental medicine.

The journal will accept original basic or clinical research papers, worthwhile review articles on safe and effective therapeutic methods, applications, limitations, theories, or principles of acupuncture and electro-therapeutics, including electro-analgesia or any new method of treatment through the application of various types of electric electromagnetic field stimuli as well as electrical and nonelectrical diagnostic methods. The journal will also consider serious research on any related methods of treatment such as Shiatsu, moxibustion, herbal medicine, and standard and experimental stages of Western medicine, with physiological and pharmacological studies. We accept clinical, experimental, and theoretical studies, particularly on the early diagnosis and safe and effective treatment of intractable medical problems, such as intractable pain, dystonia, Parkinson's disease, Alzheimer's disease, cancer, and cardiovascular disease. In general, submitted papers must be based either on the documentation of data through scientifically proven or accepted methods, or on the explanation of new theories in the field with critical evaluation of such ideas. For example, papers may present data such as the effects of acupuncture on the cardiovascular or nervous systems using blood chemistry, hemodynamics, enzymes, and other biochemical or pathophysiological, Bi-Digital O-Ring Test, nerve conduction velocity, threshold stimulation for pain, somatosensory evoked potentials or any other electro-physiological method that is scientifically acceptable. Papers not dealing directly with acupuncture, electro-therapeutics, or the related methods of diagnosis or treatment mentioned above will also be considered if they have important implications for either improving diagnostic methods or treatment, or elucidating the underlying principles or the history or medicolegal aspects of these fields.

## INSTRUCTIONS TO THE AUTHOR

Instructions to the author of articles which are to be submitted to *Acupuncture and Electro-Therapeutics Research The International Journal*. See examples of recently published papers in this journal. Instructions are also available at [www.icaet.com](http://www.icaet.com). There are five types of manuscripts: (1) a regular manuscript which is 6-15 pages, (2) a short article which is usually less than 6 pages, (3) a letter to the editor which is 1-3 pages, (4) a review article which is 6-15 pages, and (5) a summary or highlights of a recent international symposium or conference which can be anywhere from 1-5 pages.

1. All accepted manuscripts must be camera-ready. The manuscript must be submitted in exactly the same format as it will be reproduced in the journal. All tables, figures, photographs, etc., must be in the exact location in the submitted manuscript where they will appear in the final journal.
2. Papers consist of the following items: (1) title of the article, (2) name of the author (s) with academic degree and institutional affiliation, (3) contact information, (4) date of submission and acceptance, (5) abstract, (6) key words, (7) introduction, (8) materials and methods, (9) results, (10) discussion, (11) conclusion, (12) acknowledgement, and (13) references.
3. Manuscripts must be on U.S. standard white typing paper that is 8.5 inches (21.59 cm) × 11 inches (27.94 cm); the top, bottom, left, and right margins (empty space) must be 1 inch (2.54 cm), except for the top margin of the first page, which must be 2 inches (5.08 cm). All manuscripts must be typewritten using sharp, clear, black print suitable for reproduction.
4. The title of the manuscript must be centered and font Times, size 14, bold, and the first letter of each word in the title must be capitalized.
5. List the author's first name, last name, and academic degree in bold in font Times, size 12 and centered. Give the institutional affiliation and academic title for each author on the line below each author's name, not in bold. If an author has more than one institutional affiliation, then separate the affiliations with semi colons (;).
6. The main body of the text must be font Times, size 12, single-spaced and have line spacing of 0.8.

7. After the author(s) you must list the correspondence information, including an address, telephone, fax number or an e-mail address. The correspondence information must also be centered.
8. After the contact information you need to include a received date and an accepted with revisions date in parenthesis, in font Times, size 12, centered. See the example below
9. The word "ABSTRACT" must be in font Times, size 12, bold, and the body of the abstract must be aligned with the colon after the word, "ABSTRACT:". The length of the abstract must be a minimum of 100 words and a maximum of 250 words. For example:

(Received Nov. 3, 2000; Accepted with revisions Nov. 30, 2000)

**ABSTRACT:**

Abstract text,  
abstract text, abstract text, abstract text, abstract text, abstract text, abstract text, abstract text,

**Key Words:** Key Word 1; Key Word 2; Key Word 3; Key Word 4; Key Word 5;  
Key Word 6; Key Word 7.

10. You can have a maximum of 7 Key Words. Each key word must begin with a capital letter and each key word must be followed by a semicolon (;). The list of key words should be placed one line after the abstract text, and the key words section should be left-aligned with the body of the abstract.
11. The different sections of the manuscript (1) Introduction, (2) Materials and Methods, (3) Results, (4) Discussion, (5) Acknowledgement and (6) References must be single spaced, and the section titles should be centered and in font Times, size 12, bold. There should only be a double space between sections. DO NOT put each section on a separate sheet of paper.
12. Each manuscript can have a maximum of 15 black and white graphs/charts and/or black and white photographs. All graphs, charts, diagrams, etc., must be numbered as Fig. 1:., Fig. 2:.; Table 1:., Table 2:., etc., followed by captions. Figure and table titles should be centered on the top of the figure or table. The publisher will not charge for any black and white photographs or diagrams. If you want to include color photos, then the price for each page that contains color photos is \$1,000. For example, if you want 2 pages with color photographs, you must pay \$2,000 (U.S. dollars) to the publisher. If you have 4 color pictures that you can fit on 1 page, the cost will be still \$1,000.
13. When abbreviated expressions or terminology is used for the first time in any part of the manuscript, you must include the complete, non-abbreviated expression followed by the abbreviation in parentheses.
14. The Materials and Methods section is required to have explicit clear schematic diagrams and/or photographs of the experimental setup. If necessary, use a few schematic diagrams or photographs of the experimental setup. These diagrams or photographs should provide sufficient information to enable other experimenters to reproduce your results. Good schematic diagrams and/or photographs of the experimental setup are essential. Papers without schematic diagrams or photographs of the experimental setup will not be accepted.
15. Tables should be placed as part of the text, and table titles should be centered above the table; below each table and/or diagram include a figure number and a caption (for example "Fig. 3: Diagram showing auricular acupuncture points"). All columns should also have headings.
16. Graphs must be well labeled: label all axes, variables and/or data points.
17. Do not type page numbers; number each page near the bottom of the page using a pencil.
18. References should be cited in the text by consecutive numbers in brackets (e.g., [1,2]). The full reference should be included in a numbered list at the end of the text and references in the same category should be listed in chronological order with the oldest reference being first. For example:

**References**

1. Pansky B, and House, E.L. Review of Gross Anatomy, Macmillan, London, 1969.
2. Omura, Y., Pathophysiology of acupuncture treatment: Effects of Acupuncture on Cardiovascular and Nervous systems. Acupuncture & Electro-Therapeutics Research. The International Journal. Vol 1, pp. 55-141, 1975.
19. References should be single-spaced, with double spacing between each reference. References to journals should contain the names of all the authors (last name, first and middle initial), the title of the communication journal, volume number, first and last page numbers, and year. DO NOT abbreviate journal titles. The title of the journal should be underlined. Pertinent articles that appeared previously in this journal should be quoted. The space between reference should be 0.3 lines.
20. You must submit 3 copies of the camera-ready manuscript satisfying all of the above requirements. Make sure to keep at least one original copy of the manuscript in your office because manuscripts are not returned regardless of whether the manuscript is accepted or not accepted for publication.
21. In the letter of submission, please also include a daytime and evening phone number or cellular phone number, fax number and/or e-mail where the author can be reached without any difficulty.
22. The content and ideas expressed in the author's manuscript may or may not represent the publisher's or editor's opinions.

Submission of papers and correspondence concerning editorial policy of the journal should be sent to the Editor-in-Chief: Yoshiaki Omura, M.D., Sc.D., 800 Riverside Drive, Suite 8-I, New York, NY 10032, USA. Tel: (212) 781-6262, Fax: (212) 923-2279.

## **Reducing the In-Vitro Electromagnetic Field Effect of Cellular Phones on Human DNA and the Intensity of Their Emitted Radiation**

**Maria Syldona, Ph.D.**

Quantum Biology Research Lab, PO Box 428, Ridgway, CO. 81432

quantumbio@ouraynet.com and

Formerly Adjunct Professor at Dept. of Psychiatry, State University of NY at Stony Brook, Medical School.

(Received April 8, 2007; Accepted with revision September 6, 2007)

### **ABSTRACT:**

Several studies have demonstrated detrimental effects of cellular phone radiation on in-vitro biological systems. This article introduces a novel *in-vitro* method for demonstrating conformational changes in human DNA induced by a 5 minute exposure to cellular phone radiation emitted by an actual contemporary cellular phone. Dynamic changes in DNA conformation was determined in real-time by measuring the rate of DNA rewinding (in a spectrophotometer) following exposure to heat which causes the unwinding of the two strands of the helix. Cellular phone radiation produced a 40% increase in the rate of DNA rewinding. This effect was 95% attenuated when the experiment was repeated with the same cellular phone to which was attached a commercially available shielding disk shaped sheet containing a paramagnetic mineral. In a separate series of experiments the intensity of the cellular phone radiation was measured using an electromagnetic frequency spectrum analyzer. The intensity was reduced by approximately 50% in the presence of the shielding disk. Taken together these studies indicate the efficacy of a shielding disk to protect the body from cellular phone radiation.

**Key Words:** Cellular phones; EM radiation; DNA rewinding; DNA conformation; EM shielding device

### **INTRODUCTION**

While there is growing evidence that many types of electromagnetic (EM) energies such as those involved in bone healing, wound healing and pain relief have beneficial effects on the body, other types of EM fields are harmful to the body. UV light for example is well known to cause skin cancer (melanoma) [1]. The science behind these phenomena is

being studied within the emerging field of Bioelectromagnetics which now makes recommendations to the public regarding public safety. Original epidemiological studies demonstrated an increase incidence in respiratory tract cancer in US Navy personnel exposed to occupational microwave exposure [2]. Animal studies then demonstrated that microwaves and radiofrequency EM fields are also co-carcinogenic since they increase chemically induced skin cancer [3]. Cellular studies have verified that these carcinogenic effects are mediated by DNA since relatively weak EM fields increase DNA synthesis [4] and can modulate DNA repair [5]. Most definitive were studies demonstrating that electric fields could break or nick DNA strands [6], a phenomenon known to be associated with cancer [7]. Then these studies were extended to EM fields generated from common household devices like microwave ovens and computers which were also shown to be carcinogenic [8, 9]. It wasn't long until cellular phones were added to the list when it was discovered that they increased specific oncogenes known to promote cancer [8, 9]. Further elucidation of the role of DNA in EM field induced cancers came from Russian scientists who measured changed in the secondary structure (conformation) of DNA [10]. Since these carcinogenic effects of EM fields were exacerbated by repeated and prolonged exposure [8, 9] and occurred at relatively low EM field strengths, the safety of the public at large became a real concern.

By this point, scientists had figured the experimental resonance conditions required to reproduce these harmful biological effects [11]. Fortunately one of these experimental variables, the strength of the geomagnetic field at the time of the experiments, turned out to have a surprising effect. It was discovered (using nerve cells in tissue culture) that DC magnetic fields could interact with the offending radiofrequency fields and actually cancel out their detrimental effects [12]. The interference or neutralization of harmful bio-effects was subsequently confirmed and extended to include not only DC magnetic fields but all magnetic fields which are temporally incoherent and function as noise [13].

The present study measured the effects of cellular phone radiation on DNA conformation *in-vitro* and measured the intensity of the radiation emitted by cellular phones. DNA conformation was measured using classical biochemical renaturation techniques [14] as a measure of DNA rewinding. The intensity of cellular phone radiation was measured using a spectrum analyzer. The results demonstrate that cellular phone radiation speeds up DNA rewinding and that this effect is prevented when a commercially available shielding disk is placed in the presence of the cellular phone radiation. A second series of experiments demonstrated that this same shielding disk also reduced the intensity of radiation emitted from cellular phones.


## MATERIALS AND METHODS

### Experimental Design

In the first series of experiments, conformational changes in human DNA were measured in this study by monitoring rewinding in real-time. The procedure involved measuring the recovery of DNA after heat exposure known to unwind (denature) the two strands of

the double-helix. Within 10 minutes after heating, the DNA quickly recovers by rewinding back to its original intact helical conformation [14] (Figure 1). The rewinding process can be monitored by measuring the absorption of light by chromophores in the DNA strands. Control experiments were conducted first in ambient EM fields. Then DNA rewinding was measured in the presence of the cellular phone. In the third experimental condition, DNA rewinding was measured with the same cellular phone with a commercially available shielding disk placed inside (or outside) the phone (Figure 2)

### DNA Rewinding



**Figure 1:** Graphical depiction of two strands of DNA partially unwound after heat (80°C) treatment. As the DNA cools it spontaneously rewinds back to its original intact helical shape. Cellular phone radiation increases the rate of rewinding.

### The Neutralizing Disk

A

B



**Figure 2:** Figure A shows the Aulterra Neutralizer. Figure B shows the Verizon cellular phone

with the neutralizing disk on the outside.

The shielding disk is composed of a sedimentary mineral rock powder obtained from a mine in Utah. Elemental analysis (Elemental Research Inc., North Vancouver, BC, Canada) of the rock powder indicated the presence of typical non-metallic elements like silica, iron and titanium, as well as relatively high concentrations of the paramagnetic rare earth elements cerium and lanthanum. In addition, unusual crystalline structures were found. The rock powder is soft and brittle and is highly paramagnetic (Phil Callahan, personal communication). For the final product, the rock powder is milled to a 2  $\mu\text{m}$  particle size and activated by a propriety patented method involving the principles of homeopathy (US patent pending # 60/820205). The final product, called the "Neutralizer" (which is commercially available through Aulterra International, Coeur D'Alene, ID, [www.aulterra.com](http://www.aulterra.com)) is composed of three 0.1 mm layers of vinyl sheets (3cm diameter) each coated with the activated mineral using printing ink as a carrier.


A second series of experiments was conducted to determine the efficacy of the Aulterra Neutralizer in reducing the radiation emitted by a cellular phone. The intensity of the emitted radiation was measured using a spectrum analyzer.

#### **DNA Rewinding Assay (Series I)**

To determine the effect of cellular phone radiation on a model biological system, DNA rewinding was measured. A stock solution of human placental DNA (Sigma Chemical Co., St. Louis) in deionized water was further diluted to 0.03mg/ml in deionized water and heated for 5 minutes at 80°C. This treatment is typically used in in-vitro experiments to unwind the DNA helix. Under these standard conditions, the two strands of the helical DNA structure are known to unwind. Such cell-free experiments are typically done using water as the solvent because several salts present in buffer solutions are known to influence the conformation of DNA. Immediately after heat treatment the DNA was gently transferred to a quartz cuvette and measured in a spectrophotometer with the lid closed. For EM field exposure, a Verizon cellular phone (2004 model), in receiving-mode with no human voice transmitted, was placed face down on top of the cuvette inside the spectrophotometer (see Figure 3). The cellular phone remained in this position for the duration of the five minute experiment. The exact procedure was then repeated using the same cellular phone with the attached Aulterra Neutralizer.

Absorption of light at 260nm was measured using a UV-visible diode array spectrophotometer (Hewlett Packard 8451A) every 10 seconds over a five minute time period. As the DNA rewinds, its ability to absorb light decreases with time. Since rewinding measurements are taken in real-time, the DNA is being exposed to 10-second bursts of UV light (to measure rewinding), while it is being continuously exposed to cellular phone radiation (to influence rewinding). Since hours of high intensity UV-C radiation (260nm) are required to damage DNA [14], it is unlikely that short bursts of low intensity UV-C from the spectrophotometer will affect DNA and influence its rewinding rate. The initial slope of the rewinding curve, typically used when studying kinetics of biochemical reactions, was calculated using IBM Excel software. All rewinding curves had a negative slope value. Slope values for the different experimental conditions were

analyzed for statistical significance using a two sample t-test (assuming equal variance). A total of 12 control experiments, 14 cellular phone experiments and 22 neutralized-cellular phone experiments were used for these analyses.




**Figure 3:** To measure rewinding, an aqueous sample of human DNA is placed in a cuvette inside a Hewlett Packard spectrophotometer which measures the absorption of UV light by the sample. Light absorption is measured every 10 seconds when the DNA is spontaneously rewinding. Note the position of the cellular phone whose radiated EM field influences the rewinding process of the DNA inside the cuvette underneath the cellular phone.

### Measurement of Cellular Phone Radiation (Series II)

This series of experiments was designed to test the ability of the Aulterra Neutralizer to reduce the intensity of radiation emitted by a cellular phone. The radiation emitted by the same cellular phone used in Series I was measured by placing a cellular phone antennae (telescope variety from Radio Shack) on top of a cellular phone while receiving an active transmission. Such antennae are tuned to the specific frequencies emitted by cellular

phones. For some experiments the phone was receiving a repeating, pre-recorded weather channel transmission. The signal detected by the antenna was then transferred to a spectrum analyzer (Agilent ESA-E series with FM modulation) (Figure 4). Six separate analyzer graphs, plotting intensity of emitted radiation vs frequency, were generated from the cellular phone and six additional graphs were generated using the same phone with the Aulterra Neutralizer attached. Representative graphs are presented here for each of the experimental conditions. To allow direct comparison of graphs with and without the Neutralizer, these graphs have the same Dbm intensity scale (y-axis).

#### EXPERIMENTAL SETUP - SERIES 2



**Figure 4:** The intensity of EM radiation emitted by a cellular phone is measured by placing the phone immediately adjacent (1.5cm) to a specially designed radio antennae which is connected to a spectrum analyzer. Such an antennae is commonly used to measure cellular phone radiation at short distances. The spectrum analyzer with FM demodulation was made by Agilent Technologies (San Francisco, CA) and measures frequencies from 9 kHz to 3 GHz with a sensitivity of 0.4 dB. The trace recordings of the cellular phone signal is stored and printed out from the device's memory. Peak height values were measured accurately from the printout using a ruler.


## RESULTS

### DNA Rewinding

Figure 5 shows a typical initial DNA rewinding curve over several minutes. The light grey irregular line is a plot of the raw absorption data collected by the spectrophotometer. The solid black line is the computer generated best-fit calculation of the slope.

## Raw Spectrophotometric Data of DNA Rewinding

### Control



**Figure 5:** Hewlett Packard spectrophotometer readings of an aqueous solution of human placental DNA rewinding immediately following heat treatment in control conditions. Solid black line is computer generated best fit analysis used to calculate the slope (absorption/time) which is used as the rate of rewinding. The slope of this line is increased in the presence of cellular phone radiation.

### Electromagnetic Fields from Cellular Phones Effect DNA Rewinding

The results presented in Table 1 below indicate the effect of cellular phone radiation on DNA rewinding after heat shock. In the absence of cellular phone radiation (control experiments), the average slope over all 12 experiments was  $-0.41 \pm 0.065$ . In the presence of EM fields from the cellular phone, the slope had an average value of  $-0.56 \pm 0.056$  over all 14 experiments. A more negative value for the slope reflects a faster rewinding rate following heat shock. Therefore, the EM field from the cellular phone produced a 40% increase (relative to control values) in the rewinding rate. The magnitude of the effect varied from 20-58% depending on the experiment. This effect of the cellular phone radiation is highly statistically significant compared to the untreated control ( $p < 0.0001$ ).

### Aulterra Neutralizer Attenuates Cellular Phone Induced Effects on DNA

The results in Table 1 indicate that the cellular phone with an attached Neutralizer produced an average slope of  $-0.43 \pm 0.11$  for all 22 experiments. This average value is not significantly different than the control value indicating that the effect of the cellular phone radiation on rewinding is completely reversed in the presence of the Neutralizer.


When examining the data from the individual experiments (Figure 6), however, it is apparent that on some occasions the cellular phone radiation is not neutralized, eg. experiment number 2, 3, 4, 10 and 13. This indicates that for these particular treatment sessions, on a given day, resonance conditions were not met (see discussion).

**Raw Slope Values for DNA Rewinding**

	Slope	SD	% Change	n	p
Control	-0.41	0.065		12	
Cellular Phone (CP)	-0.559	0.056	+40	14	<0.0001
CP +Neutralizer	-0.43	0.115	+5	22	NS

**Table 1:** Average rewinding slope values for each of the three experimental conditions calculated from computer-generated absorption curves obtained using a Hewlett Packard spectrophotometer. "n" indicates the total number of separate experiments tested under each condition. SD refers to the standard deviation. Statistical significance, p, is calculated with respect to control values using t-tests on raw slope values. NS is not significant.

**Effect of Cellular Phone with Attached Shielding Disk on DNA Rewinding**




**Figure 6:** Variation of rewinding slope values for each of 22 trials whose averages are presented in Table 1. Rewinding slope values were calculated from computer-generated absorption curves obtained using a Hewlett Packard spectrophotometer. DNA samples were treated with a cellular phone with the EM shielding device attached.

**Aulterra Neutralizer Reduces Cellular Phone Radiation**

Several discrete frequencies emitted from the cellular phone could be measured with the

spectrum analyzer and their intensities were significantly above background fluctuations. Large discrete peaks occurred at specific frequencies, eg 54, 72 and 94 MHz. In the presence of the Aulterra Neutralizer a reduction in the intensity of all peaks was observed and the peak at 94MHz was studied quantitatively. Over six experiments, the average intensity of the 94 MHz peak was  $36.4 \pm 1.3$  dBm. With the Neutralizer this peak decreased in size to a value of  $17.6 \pm 2.5$  dBm. This 52% (2-fold) reduction is highly statistically significant ( $p < 0.0001$ ) (Figure 7). Since the two smaller side peaks were absent when measuring a signal from an open channel with no human voice transmission, they are likely due to human voice modulation of the cellular phone signal. In the presence of the Neutralizer, both side peaks were completely eliminated. These results confirm a previous study demonstrating that another commercially available shielding device, which also contained rare earth elements, effectively reduced the EM fields emitted by video display terminals associated with computer monitors [15].

### Spectrum Analyzer Measurements of Cellular Phone Radiation



**Figure 7:** Typical spectrum analyzer traces centering at 94.16 MHz. Peak heights are related to the intensity of cellular phones radiation. Left trace is a recording from a normal cellular phone and the right trace is recorded from the same cellular phone with the shielding device attached.

### DISCUSSION

Experiments performed in Series I utilize a classical property of DNA, rewinding, as a new model system for studying *in-vitro* effects of cellular phone radiation. The results indicate that cellular phone radiation significantly speeds up the rate of rewinding. This effect is highly reproducible in the 14 independent experiments with a magnitude that varied between 20 and 58%. Data from the present study support Blank's hypothesis that DNA itself can act as a target for EM fields [16]. This hypothesis contradicts years of

previous Bioelectromagnetics data indicating that the primary target for EM fields is the plasma membrane and/or the ions that bind to various protein receptors within the plasma membrane. However, several studies support the DNA antennae theory and have shown that various functional properties of DNA including DNA synthesis [4] and repair [5] are altered by EM fields.

These direct effects on DNA maybe mediated by its conformational state. Original studies demonstrated electromagnetic field effects on DNA conformational states [10]. The conformation, or secondary structure of all biomolecules is intimately linked to their functional properties [17]. Conformational states are in turn controlled by hydrogen bonds which hold together the folded secondary structure of biomolecules [18]. DNA winding experiments in-vitro, like those utilized in the present study, can be considered an indirect measurement of hydrogen bond formation. In the present study it was shown that cellular phone radiation speeds up DNA rewinding suggesting there is an increase in hydrogen bond formation. If cellular phones radiation is eventually shown to have a direct effect on hydrogen bonds in general, the implications for biology could be profound. In support of this hypothesis, it has been observed that radiation from cellular phones alters the conformation of human chromatin [19].

Since the implications for public health are obvious, methods to reduce the harmful effects of cellular phone radiation are currently being sought. New technologies have emerged utilizing a novel concept that one type of EM field can reverse or neutralize the biological effects produced by another type of EM field. This was first demonstrated using DC magnetic fields capable of neutralizing the effect of a pulsed magnetic field on neurite outgrowth in neuronal cellular studies [12]. Yet another similar phenomenon was demonstrated using incoherent noise fields to neutralize magnetic field effects on ornithine decarboxylase induction [13]. At least one example of how this technology can be applied to cellular phone protection was recently demonstrated in a study using a commercially available aluminum EM shield. In this study Goodman [20] used the number of fruit fly offspring, as well as some biochemical markers, as a model system and showed that cellular phone radiation increased the number of offspring and increased levels of transcription factors which are known to activate DNA synthesis. This effect was reversed when a commercially available aluminum shield was added to the cellular phone. These results confirm earlier work by Omura [8, 9] indicating that grounding electronic devices with a metal sheet reduced (or eliminated) their radiated EM fields.

The present study demonstrates a similar phenomenon as in the Goodman study, but utilizes a different model system. Here the cellular phone induced changes in DNA rewinding are completely reversed when an Aulterra Neutralizer is added to the cellular phone. This effect is seen 77% of the time (see Figure 6) yielding an over-all statistically significant effect. The fact that this effect is not seen in every experiment is interesting and suggests that resonance conditions are not met in every experiment. In order to produce biological effects, resonance between an EM field and a biological system is required. So far resonance conditions have been characterized in terms of narrow "windows" where biological effects are observed only within specific and narrow

frequency and amplitude ranges of the EM field [11]. In the present case, resonance conditions require a complex interaction between the EM field from the cellular phone, the EM field generated from the Neutralizer disk itself (since it is paramagnetic) and the DNA molecule. In other similar systems (described above), where two EM fields interact, the strength of and orientation between the two fields is critical in order to obtain resonance conditions.

In the present experiment off-resonance conditions occur only 23% of the time. Experiments can be designed in such a way that off-resonance conditions occur frequently enough to conclude cellular phone radiation produces no damaging effects. Many of the scientific studies reported in the literature utilize such experimental designs. Redesigning such experiments can produce on-resonance conditions so that cellular phone effects can be measured. In real-world situations consumers are chronically exposed to cellular phone radiation which at times is either on or off-resonance.

Preliminary experiments indicate that the Aulterra Neutralizer contains a highly paramagnetic mineral (R. Roy, personal communication). It is therefore conceivable that a magnetoresistance response (Meissner effect) is induced when the Neutralizer is in the presence of the magnetic fields generated from cellular phones. Thus paramagnetic shielding (in addition to ferromagnetic shielding) is a likely explanation for the ability of the Neutralizer to reverse the effects of cellular phone radiation on DNA rewinding observed in this study. Ferromagnetic transduction has been previously proposed to mediate biological effects of cellular phones because of their resonance with the biological mineral magnetite [21].

The reversal of DNA rewinding effects observed in Series I of the present study is further supported by the results obtained by measuring the intensity of cellular phone radiation using a spectrum analyzer (Series II). Specific absorption rates are typically used to quantify the intensity of cellular phone radiation, which in turn is related to the severity of the biological damage and therefore public safety. The results of the present study clearly indicate that the intensity of the radiation emitted from cellular phones is reduced by approximately 50% in the presence of the Aulterra Neutralizer. In all experiments the Neutralizer was effective across the entire radio and microwave spectrum of radiation emitted by these devices. This neutralizing effect was also independent of the various experimental conditions, ie. the presence of voice patterns or EM signals from nearby electronic devices.

When the spectrum analyzer data is taken in conjunction with the DNA data, we have a strong case for concluding that the Aulterra Neutralizer is capable of protecting the body from cellular phone radiation. Although the bio-protective effect may be a result of reducing the intensity of the cellular phone radiation, it is also possible that a weak EM field generated by the Neutralizer could have a direct stabilizing effect on the DNA. Therefore, the Aulterra Neutralizer appears to protect the body by both a biological and a physical mechanism. This is the first report of any commercially available cellular phone shielding device capable of such a dual action.

## CONCLUSION

The changes in DNA conformation induced by cellular phones, as measured in this study, support previous studies demonstrating that DNA does in fact directly interact with cellular phone radiation. The *in-vitro* effect produced by such radiation was 95% reversed when a commercially available shielding disk is attached to a cellular phone. This finding, when taken together with experiments demonstrating that the shielding device also reduced the intensity of cellular phone radiation, supports the conclusion that the Aulterra Neutralizer inhibits the effects of cellular phone radiation on DNA *in-vitro*.

## ACKNOWLEDGMENTS

Michael Manning, formerly of Temple University, for help in spectrum analyzer experiments, Dr. Rein for technical scientific advice without whom this research could not be completed and Kim Dandurand of Aulterra International for inspiration and support.

## REFERENCES

1. Stenback, F. Species-specific neoplastic progression by ultraviolet light on the skin of rats, guinea pigs, hamsters and mice. Oncology. Vol 31, pp.209-225, 1975.
2. Robinette, C.D., Silverman, C., Jablon, S., Effects upon health of occupational exposure to microwave radiation. American Journal of Epidemiology. Vol 112, pp. 39-53, 1980.
3. Szmigielski, S., Szudzinski, A., Pietraszek, A., Bielec, M., Janiak, M., Wrembel, J.K., Accelerated development of spontaneous and benzopyrene-induced skin cancer in mice exposed to 2450 MHz microwave radiation. Bioelectromagnetics. Vol 3, pp. 179-191, 1982.
4. Liboff, A.R., Williams, T. Jr., Strong, D.M., Wistar, R. Jr., Time-varying magnetic fields: effect on DNA synthesis. Science. Vol 223, pp. 818-820, 1984.
5. Meltz, M.L., Walker, K.A., Erwin, D.N., Radiofrequency radiation exposure of mammalian cells during UV-induced DNA repair synthesis. Radiation Research. Vol 110, pp. 255-266, 1987.
6. Tamiya, E., Nakajima, Y., Kamioka, H., Suzuki, M., Karube, I. DNA cleavage based on high voltage electric pulse. FEBS Letters. Vol 34, pp 357-61, 1988.
7. Kitchin, K.T., Brown, J.L., Biochemical studies of promoters of carcinogenesis in rat liver. Teratogenesis, Carcinogenesis and Mutagenesis. Vol. 9, pp. 273-85, 1989.

8. Omura, Y., Losco, M., Omura A.K., Yamamoto, S., Ishikawa, H., Takeshige C., Shimotsuura, Y., Muteki, T., Chronic or intractable medical problems associated with prolonged exposure to unsuspected harmful environmental electric, magnetic or electro-magnetic fields radiating in the bedroom or workplace and their exacerbation by intake of harmful light and heavy metals from common sources. Acupuncture and Electro-therapeutics Research, the International Journal. Vol 16, pp143-77, 1991.
9. Omura, Y., and Losco M., Electro-magnetic fields in the home environment (color TV, computer monitor, microwave oven, cellular phone, etc) as potential contributing factors for the induction of oncogene C-fos Ab1, oncogene C-fos Ab2, integrin  $\alpha 5\beta 1$  and the development of cancer, as well as effects of microwave on amino acid composition of food and living human brain. Acupuncture and Electrotherapeutics Research, the International Journal. Vol 18, pp.33-73, 1993.
10. Semin, Iu.A., Changes in secondary structure of DNA under the influence of electromagnetic fields. Radiation Biology and Radioecology. Vol 35, pp. 36-41, 1995.
11. Blackman, C.F., Blanchard, J.P., Benane, S.G., House, D.E., The ion parametric resonance model predicts magnetic field parameters that affect nerve cells. FASEB Journal Vol 9, pp.547-551, 1995.
12. Blackman, C.F., Blanchard, J.P., Benane, S.G., House, D.E., Effect of AC and DC magnetic field orientation on nerve cells. Biochemical Biophysical Research Communications. Vol 220, pp. 807-811, 1996.
13. Farrell, J.M., Barber, M., Krause, D., Litovitz, T.A., The superposition of a temporally incoherent magnetic field inhibits 60 Hz-induced changes in the ODC activity of developing chick embryos. Bioelectromagnetics Journal. Vol 19, pp. 53-56, 1998.
14. Marmur, J., and Doty, P., Thermal renaturation of DNA. Journal of Molecular Biology. Vol 3, pp. 585-594, 1961.
15. Sisto R, Casciardi S, Giliberti C, Moleti A. Electromagnetic radiation from VDT units: study of the effectiveness of an active shielding device. Journal of the American Industrial Hygiene Association. Vol 60, pp. 111-115, 1999.
16. Blank, M., and Goodman, R., Electromagnetic fields may act directly on DNA. Journal of Cellular Biochemistry. Vol 75, pp. 369-374, 1999.
17. Ninaber, A., Goodfellow, J.M., DNA conformation and dynamics. Radiation and Environmental Biophysics. Vol 38, pp. 23-29, 1999.
18. Takano, K., Yamagata, Y., Funahashi, J., Hioki, Y., Kuramitsu, S., Yutani, K., Contribution of intra- and intermolecular hydrogen bonds to the conformational stability of human lysozyme. Biochemistry. Vol 38, pp. 12698-12708, 1999.

19. Belyaev, I.Y., Alipov, E.D., Frequency-dependent effects of ELF magnetic field on chromatin conformation in *Escherichia coli* cells and human lymphocytes. Biochimica Biophysica Acta. Vol 1526, pp. 269-76, 2001.
20. Goodman, R., Lin, H., Ye, L., Weisbrot D. EM field-induced markers of delineators of interaction mechanism. Proceedings of the Bioelectromagnetics Society. Quebec City, Canada. June, 2002.
21. Cranfield, C., Wieser, H.G., Al Madan, J., Dobson, J., Preliminary evaluation of nanoscale biogenic magnetite-based ferromagnetic transduction mechanisms for wireless phone bioeffects. IEEE Transactions of Nanobioscience. Vol 2, pp. 40-43, 2003.

***Dr. Omura's classic text available again...***

**Save 20% when you subscribe to Acupuncture & Electro-Therapeutics Research  
*ACUPUNCTURE MEDICINE: Its Historical and Clinical Background***

By Yoshiaki Omura, Sc.D., M.D., F.A.C.A., F.I.C.A.E.

In this book, basic concepts of acupuncture points, meridians, and four methods of diagnosis and related topics in both the Orient and West are explained explicitly. The author provides commentaries from the viewpoint of Western medicine and sciences by going back to the important original references in Chinese, Japanese, and other languages. For visual diagnosis, many unique and interesting methods of diagnosis which are rarely introduced in Western literature are explained. In order to facilitate further study, the author has provided, in addition to clear English explanation, additional Japanese and Chinese pronunciation and original Chinese characters, which are used in China, Japan, and Korea in the common written language.

***Save 20% off the regular price of \$50.00 when you subscribe to Acupuncture & Electro-Therapeutics Research. To order check the appropriate box on the order form.***

**1996 287pp. ISBN 1-882345-09-6 Illustrated \$50.00**

# ACUPUNCTURE & ELECTRO-THERAPEUTICS RESEARCH THE INTERNATIONAL JOURNAL

The Official Journal of the International College of Acupuncture & Electro-Therapeutics  
and its American Division, the American College of Acupuncture & Electro-Therapeutics

VOLUME 32, NUMBER 1/2, 2007

ISSN 0360-1293

AEREDS 32(1/2) 1-176

M. Sylдона  
(USA)

1 Reducing the In-Vitro Electromagnetic Field Effect of Cellular Phones on Human DNA and the Intensity of Their Emitted Radiation

D. P. Lu, G. Lu, W. Lu  
(USA)

15 Anxiety Control of Dental Patients by Clinical Combination of Acupuncture, Bi-Digital O-Ring Test, and Eye Movement Desensitization with Sedation Via Submucosal Route.

Y. Omura, Y. Chen, D. P. Lu,  
Y. Shimotsura, M. Ohki, H. Duvvi,  
(USA, Japan, China)

31 Anatomical Relationship Between Traditional Acupuncture Point ST 36 and Omura's ST 36 (true ST 36) with Their Therapeutic Effects: 1) Inhibition of Cancer Cell Division by Markedly Lowering Cancer Cell Telomere while Increasing Normal Cell Telomere & 2) Improving Circulatory Disturbances, with Reduction of Abnormally High Triglyceride, L-Homocystein, CRP or Cardiac Troponin I & T in Blood By the Stimulaton of Omura's ST 36 --- Part I

K. Ozerkan, B. Bayraktar, T. Sahinkaya  
O. Goksu, I. Yucesir, S. Yildiz  
(Turkey)

71 Comparison of the Effectiveness of the Traditional Acupuncture Point, ST. 36 and Omura's ST. 36 Point (true ST 36) Needling on the Isokinetic Knee Extension & Flexion Strength of Young Soccer Players

A. Esnouf, P. Wright, J. Moore, S. Ahmed  
(United Kingdom)

81 Depth of Penetration of an 850nm Wavelength Low Level Laser in Human Skin

C. Tyan, W. Liang, H. Shy, H. Kuo  
J. Lin, H. Chen, J. Chen  
(Taiwan, China)

87 How to Standardize 3 Finger Positions of Examiner for Palpating Radial Pulses at Wrist in Traditional Chinese Medicine.

97 Program of 22nd Annual International Symposium on Acupuncture, Electro- Therapeutics& Bi-Digital O-Ring Test, held at Columbia University November 4-7, 2006

121 Abstracts & Short papers of the 22nd Annual International Symposium on Acupuncture, Electro-Therapeutics & Bi-Digital O-Ring Test.

153 Announcements and Forthcoming Meetings and Events

167 New Patents & Published Patent Applications from US and Over 30 Other Countries



0360-1293(111007)32:1/2:07

Erratum (page 177) Omura Volume 31 3/4  
pages 251 & 252

Indexing and Abstracting Services which cover Acupuncture Electro-Therapeutics Research: Current Contents, Excerpta Medica, Index Medicus, Index Veterinarius, CINAHL, Biological Abstracts, Chemical Abstracts, Psychological Abstracts, Bioengineering Abstracts, Index to Dental Literature, Engineering Index Monthly and Author Index, Science Citation Index, PsycINFO, COMPENDEX, Current Advances in Life Science.

The 23rd Annual International Symposium on Acupuncture & Electro-Therapeutics—  
Saturday, November 3rd through Tuesday, November 6, 2007 held at The School of International Affairs,  
Columbia University, New York City, New York, USA